
Amended Au_ t 1983;2/85 10/85;12/85



1977 Amended 8/83; 8/85; 10/85

Department of Natural Resources Division of Land Resource Programs

High Risk Erosion Area Boundary and Breakpoint Descriptions

Tawas and Baldwin Townships, Iosco County*

(Arranged from southwest to northeast, starting in Tawas City, Section 36, T22N, R7E.)

The northeast end of the high risk erosion area in Section 36, T22N, R7E, Tawas Township, lies 650 feet southwest of the center of the Tawas River Bridge on U.S. 23 in Tawas City.

The southwest end of the high risk erosion area lies at the Alabaster-Tawas Township boundary line.

The northeast end of the high risk erosion area in Section 30, T22N, R8E, Baldwin Township, lies 50 feet northeast of the centerline of Matthew Street extended in Tawas City.

The southwest end of the high risk erosion area in Section 36, T22N, R7E, Tawas Township, lies 1,050 feet northeast of the center of the Tawas River bridge on U.S. 23 in Tawas City.

Baldwin Township:

The northeast end of the high risk erosion area in Section 30, T22N, R8E, lies 50 feet northeast of the centerline of First Street extended in Tawas City.

The southwest end of the high risk erosion area in Section 30, T22N, R8E, lies 800 feet southwest of the centerline of First Street extended in Tawas City.

The northeast end of the high risk erosion area in Section 29, T22N, R8E, lies 50 feet west of Locke Street extended in the city of East Tawas.

The southwest end of the high risk erosion area in Section 30, T22N, R8E, lies 790 feet northeast of the centerline of Oak Street in Tawas City.

The east end of the high risk erosion area in Section 28, T22N, R8E, lies 105 feet east of the center of Grant Street extended in the city of East Tawas.

The west end of the high risk erosion area in Section 29, T22N, R8E, lies 80 feet west of the center of Adams Street in the city of East Tawas.

The east end of the high risk erosion area in Section 28, T22N, R8E, lies 1,880 feet east of the intersection of U.S. 23 and Tawas Beach Road in the city of East Tawas.

The west end of the high risk erosion area in Section 28, T22N, R8E, lies 635 feet east of the center of Grant Street extended in the city of East Tawas.

Tawas and Baldwin Townships, Iosco County Page 2 of 3

The north end of the high risk erosion area in Section 24, T22N, R8E, lies at the end of Arbutus Road.

The south end of the high risk erosion area in Section 34, T22N, R8E, lies 620 feet southwest of the intersection of Section 34-35 line and the shoreline.

The breakpoint between the 60 foot and 80 foot minimum required setbacks lies 780 feet southwest of the end of Pontiac Street.

The breakpoint between the 80 foot and 150 foot minimum required setbacks lies 3,510 feet southwest of the end of Pontiac Street.

The breakpoint between the 150 foot and 50 foot minimum required setbacks is 4,450 feet southwest of the end of Pontiac Street.

The breakpoint between the 50 foot and 115 foot minimum required setbacks is at the southwest end of the Iosco Beach Club Road.

The breakpoint between the 115 foot and 65 foot minimum required setbacks is 2,165 feet northeast of Lake-to-Bay Street.

The north end of the high risk erosion area in Section 5, T22N, R9E, lies 125 feet southwest of the end of Sue Street.

The south end of the high risk erosion area in Section 13, T22N, R8E, lies 1,120 feet southwest along U.S. 23 from the intersection of U.S. 23 and Lake View Drive.

The breakpoint between the 45 foot and 110 foot minimum required setbacks lies 880 feet southwest from the end of Sue Street.

The breakpoint between the 110 foot and 65 foot minimum required setbacks is 545 feet north of Birchcrest Street.

The breakpoint between the 65 foot and 105 foot minimum required setbacks is 860 feet south of Walnut Street.

The breakpoint between the 105 foot and 40 foot minimum required setbacks is 455 feet northeast of the intersection of U.S. 23 and Woodland Beach Road.

The breakpoint between the 40 foot and 110 foot minimum required setbacks is 1,530 feet northeast of the intersection of Norway Street and U.S. 23.

Tawas and Baldwin Townships, Iosco County Page 3 of 3

The breakpoint between the 110 foot and 85 foot minimum required setbacks is 1,005 feet southwest of the intersection of Huron Street and U.S. 23.

*Note: These boundary descriptions are considered approximate. The exact locations of these boundaries are indicated on aerial photographs on file with the DNR.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-C10-000-013-00	1818 Iris St	A1	1.5	45	90
35-033-C10-000-014-00	1812 Iris St	A1	1.5	45	90
35-033-C10-000-015-00	1808 Iris St	A1	1.5	45	90
35-033-C10-000-016-00	Iris St	A1	1.5	45	90
35-033-C10-000-017-00	1798 Iris St	A1	1.5	45	90
35-033-C10-000-019-00	1788 Iris St	A1	1.5	45	90
35-033-C10-000-021-00	1786 Iris St	A1	1.5	45	90
35-033-C10-000-022-00	1778 Iris St	A1	1.5	45	90
35-033-C10-000-024-00	Iris St	A1	1.5	45	90
35-033-C10-000-025-00	Iris St	A1	1.5	45	90
35-033-C10-000-027-00	Iris St	A1	1.5	45	90
35-033-C10-000-028-00	3756 Aster St	A2	3.7	110	220
35-033-C10-000-030-00	1734 Primrose St	A2	3.7	110	220
35-033-C10-000-032-00	1730 Primrose St	A2	3.7	110	220
35-033-C10-000-033-00	1720 Primrose St	A2	3.7	110	220
35-033-C10-000-035-00	1714 Primrose St	A2	3.7	110	220
35-033-C10-000-036-00	1710 Primrose St	A2	3.7	110	220
35-033-C10-000-038-00	1698 Primrose St	A2	3.7	110	220
35-033-C10-000-040-00	1694 Primrose St	A2	3.7	110	220

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-C10-000-041-00	1680 Primrose St	A2	3.7	110	220
35-033-C10-000-042-00	1676 Primrose St	A2	3.7	110	220
35-033-C10-000-043-00	1666 Primrose St	A2	3.7	110	220
35-033-C10-000-044-00	1660 Primrose St	A2	3.7	110	220
35-033-C10-000-045-00	1658 Primrose St	A2	3.7	110	220
35-033-C10-000-046-00	1656 Primrose St	A2	3.7	110	220
35-033-C10-000-047-00	1654 Primrose St	A2	3.7	110	220
35-033-C10-000-048-00	1652 Primrose St	A2	3.7	110	220
35-033-C10-000-049-00	1650 Primrose St	A2	3.7	110	220
35-033-C10-000-050-00	1648 Primrose St	A2	3.7	110	220
35-033-C10-000-052-00	Primrose St	A2	3.7	110	220
35-033-C10-000-053-00	1646 Primrose St	A2	3.7	110	220
35-033-C10-000-055-00	1642 Primrose St	A2	3.7	110	220
35-033-C10-000-057-00	1640 Primrose St	A2	3.7	110	220
35-033-C10-000-058-00	1638 Primrose St	A2	3.7	110	220
35-033-C10-000-059-00	1636 Primrose St	A2	3.7	110	220
35-033-C10-000-062-00	1632 Primrose St	A2	3.7	110	220
35-033-C10-000-064-00	3750 Kirkland Dr	A2	3.7	110	220
35-033-H50-000-033-00	Media Dr	A2	1.6	110	220

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-H50-000-034-00	Media Dr	A2	3.7	110	220
35-033-H50-000-035-00	Media Dr	A2	3.7	110	220
35-033-H50-000-036-00	Media Dr	A2	3.7	110	220
35-033-H50-000-037-00	Baker Hwy	A2	3.7	110	220
35-033-H50-000-039-00	Media Dr	A2	3.7	110	220
35-033-H50-000-040-00	Baker Hwy	A2	3.7	110	220
35-033-H50-000-040-50	1614 Baker Hwy	A2	3.7	110	220
35-033-H51-005-003-00	1603 Baker Hwy	A2	3.7	110	220
35-033-H51-005-005-00	Media Dr	A2	3.7	110	220
35-033-H51-005-006-00	1620 Media Dr	A2	3.7	110	220
35-033-H51-005-008-00	Media Dr	A2	3.7	110	220
35-033-H51-005-009-00	1619 Baker Hwy	A2	3.7	110	220
35-033-H51-006-001-00	Baker Hwy	A2	3.7	110	220
35-033-H51-006-002-00	Baker Hwy	A2	3.7	110	220
35-033-H51-006-004-00	Baker Hwy	A2	3.7	110	220
35-033-H50-000-001-00	1494 Media Dr	А3	1.6	65	110
35-033-H50-000-002-00	Media Dr	А3	1.6	65	110
35-033-H50-000-003-00	1510 Media Dr	А3	1.6	65	110
35-033-H50-000-006-00	1524 Media Dr	A3	1.6	65	110

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-H50-000-008-00	Media Dr	А3	1.6	65	110
35-033-H50-000-011-00	1542 Media Dr	А3	1.6	65	110
35-033-H50-000-013-00	1546 Media Dr	А3	1.6	65	110
35-033-H50-000-014-00	Media Dr	А3	1.6	65	110
35-033-H50-000-016-00	Media Dr	А3	1.6	65	110
35-033-H50-000-017-00	Media Dr	А3	1.6	65	110
35-033-H50-000-018-00	Media Dr	А3	1.6	65	110
35-033-H50-000-019-00	Media Dr	А3	1.6	65	110
35-033-H50-000-020-00	1562 Baker Hwy	А3	1.6	65	110
35-033-H50-000-022-00	Baker Hwy	А3	1.6	65	110
35-033-H50-000-023-00	1572 Baker Hwy	А3	1.6	65	110
35-033-H50-000-024-00	1576 Baker Hwy	A3	1.6	65	110
35-033-H50-000-025-00	Media Dr	A3	1.6	65	110
35-033-H50-000-027-00	Media Dr	A3	1.6	65	110
35-033-H50-000-028-00	Baker Hwy	A3	1.6	65	110
35-033-H50-000-030-00	Media Dr	А3	1.6	65	110
35-033-H50-000-031-00	Media Dr	А3	1.6	65	110
35-033-H50-000-032-00	Media Dr	А3	1.6	65	110
35-033-H51-001-001-00	1494 Media Dr	А3	1.6	65	110

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-H51-001-004-00	1486 Media Dr	A3	1.6	65	110
35-033-H51-001-006-00	1482 Media Dr	A3	1.6	65	110
35-033-H51-001-007-00	1478 Media Dr	А3	1.6	65	110
35-033-H51-001-008-00	1470 Media Dr	A3	1.6	65	110
35-033-H51-001-010-00	1468 Media Dr	А3	1.6	65	110
35-033-H51-001-011-00	1464 Media Dr	А3	1.6	65	110
35-033-H51-001-012-00	1458 Media Dr	А3	1.6	65	110
35-033-H51-001-013-00	1454 Media Dr	А3	1.6	65	110
35-033-H51-001-014-00	1452 Media Dr	А3	1.6	65	110
35-033-H51-001-015-00	1450 Media Dr	А3	1.6	65	110
35-033-H51-001-016-00	1446 Media Dr	A3	1.6	65	110
35-033-H51-002-001-00	1504 Media Dr	А3	1.6	65	110
35-033-H51-002-002-00	Media Dr	A3	1.6	65	110
35-033-H51-002-003-00	Media Dr	А3	1.6	65	110
35-033-H51-002-004-00	Media Dr	A3	1.6	65	110
35-033-H51-002-005-00	Media Dr	A3	1.6	65	110
35-033-H51-002-007-00	1528 Media Dr	A3	1.6	65	110
35-033-H51-002-009-00	1538 Media Dr	A3	1.6	65	110
35-033-H51-002-010-00	Media Dr	А3	1.6	65	110

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-H51-003-001-00	1546 Media Dr	А3	1.6	65	110
35-033-H51-003-002-00	1548 Media Dr	А3	1.6	65	110
35-033-H51-003-004-00	1552 Media Dr	A3	1.6	65	110
35-033-H51-003-005-00	1556 Media Dr	A3	1.6	65	110
35-033-H51-003-006-00	1562 Media Dr	A3	1.6	65	110
35-033-H51-003-007-00	1564 Media Dr	A3	1.6	65	110
35-033-H51-003-008-00	Baker Hwy	А3	1.6	65	110
35-033-H51-003-009-00	Baker Hwy	А3	1.6	65	110
35-033-H51-003-010-00	1569 Baker Hwy	А3	1.6	65	110
35-033-H51-004-001-00	1576 Baker Hwy	A3	1.6	65	110
35-033-H51-004-002-00	1579 Media Dr	А3	1.6	65	110
35-033-H51-004-004-00	1584 Media Dr	А3	1.6	65	110
35-033-H51-004-005-00	1585 Baker Hwy	А3	1.6	65	110
35-033-H51-004-006-00	Media Dr	А3	1.6	65	110
35-033-H51-004-007-00	1589 Baker Hwy	A3	1.6	65	110
35-033-H51-004-008-00	1592 Media Dr	А3	1.6	65	110
35-033-H51-004-009-00	1594 Media Dr	А3	1.6	65	110
35-033-H51-004-010-00	1598 Media Dr	А3	1.6	65	110
35-032-007-100-001-00	1430 N Huron	A4	3.0	105	195

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-032-007-100-002-00	N US 23	A4	3.0	105	195
35-032-007-100-003-00	1418 N US 23	A4	3.0	105	195
35-032-007-100-004-00	1412 N US 23	A4	3.0	105	195
35-032-007-100-005-00	1408 N US 23	A4	3.0	105	195
35-032-007-100-006-00	1400 N US 23	A4	3.0	105	195
35-032-007-100-007-00	1398 US 23	A4	3.0	105	195
35-032-007-100-008-00	1396 US 23	A4	3.0	105	195
35-032-007-100-009-00	1392 US 23	A4	3.0	105	195
35-032-007-100-010-00	1390 US 23	A4	3.0	105	195
35-032-007-100-011-00	1378 US 23	A4	3.0	105	195
35-032-007-100-012-00	1374 US 23	A4	3.0	105	195
35-032-007-100-013-00	1370 US 23	A4	3.0	105	195
35-032-007-100-014-00	1350 US 23	A4	3.0	105	195
35-032-007-100-016-00	1346 US 23	A4	3.0	105	195
35-032-007-100-017-00	US 23	A4	3.0	105	195
35-032-007-100-018-00	1286 N US 23	A4	3.0	105	195
35-032-007-100-019-00	1270 US 23	A4	3.0	105	195
35-032-007-100-020-00	1262 US 23	A4	3.0	105	195
35-032-007-100-021-00	US 23	A4	3.0	105	195

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-032-007-100-022-00	1258 US 23	A4	3.0	105	195
35-032-007-100-023-00	1256 US 23	A4	3.0	105	195
35-032-007-100-024-00	1254 US 23	A4	3.0	105	195
35-032-007-100-025-00	1252 US 23	A4	3.0	105	195
35-032-007-100-026-00	1250 US 23	A4	3.0	105	195
35-032-007-100-028-00	1248.1 N US 23	A4	3.0	105	195
35-033-B30-001-021-00	1196 Forest St	A5	1.3	40	80
35-033-B30-001-022-00	1198 US 23	A5	1.3	40	80
35-033-B30-001-023-00	1208 US 23	A5	1.3	40	80
35-033-B30-001-025-00	1214 US 23	A5	1.3	40	80
35-033-B30-001-026-00	1220 N US 23	A5	1.3	40	80
35-033-B30-001-028-00	1224 US 23	A5	1.3	40	80
35-033-B30-001-029-00	1228 N US 23	A5	1.3	40	80
35-033-B30-001-031-00	1232 US 23	A5	1.3	40	80
35-033-B30-001-032-00	1234 US 23	A5	1.3	40	80
35-033-B30-001-033-00	1242 US23	A5	1.3	40	80
35-033-B30-001-034-00	1246 US 23	A5	1.3	40	80
35-033-A10-001-001-00	996 Huron St	A6	3.2	110	205
35-033-A10-001-003-00	968 N US 23	A6	3.2	110	205

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-A10-001-005-00	978 Huron St	A6	3.2	110	205
35-033-A10-001-006-00	972 Huron St	A6	3.2	110	205
35-033-A10-001-007-00	968 N Huron St	A6	3.2	110	205
35-033-A10-001-008-00	Huron St	A6	3.2	110	205
35-033-A10-001-010-00	Huron St	A6	3.2	110	205
35-033-A10-001-011-00	950 Huron St	A6	3.2	110	205
35-033-A10-001-012-00	940 Huron St	A6	3.2	110	205
35-033-A10-001-014-00	930 Huron St	A6	3.2	110	205
35-033-A10-001-016-00	926 Huron St	A6	3.2	110	205
35-033-A10-001-017-00	920 Huron St	A6	3.2	110	205
35-033-A10-001-018-00	916 Huron St	A6	3.2	110	205
35-033-A10-001-020-00	910 Huron St	A6	3.2	110	205
35-033-A10-001-020-50	906 Huron St	A6	3.2	110	205
35-033-A10-001-021-00	902 Huron St	A6	3.2	110	205
35-033-A10-002-001-00	900 Huron St	A6	3.2	110	205
35-033-A10-002-002-00	Huron St	A6	3.2	110	205
35-033-A10-002-003-00	888 Huron St	A6	3.2	110	205
35-033-A10-002-004-00	878 Huron St	A6	3.2	110	205
35-033-A10-002-007-00	Huron St	A6	3.2	110	205

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-A10-002-008-00	860 Huron St	A6	3.2	110	205
35-033-A10-002-009-00	856 US 23	A6	3.2	110	205
35-033-A10-002-010-00	850 US 23	A6	3.2	110	205
35-033-A10-002-011-00	840 US 23	A6	3.2	110	205
35-033-A10-002-012-00	838 Ottawas Ln	A6	3.2	110	205
35-033-A10-002-013-00	836 US 23	A6	3.2	110	205
35-033-A10-002-014-00	834 Ottawas Ln	A6	3.2	110	205
35-033-A10-002-015-00	822 N US 23	A6	3.2	110	205
35-033-A10-002-016-00	820 Ottawas Ln	A6	3.2	110	205
35-033-A10-002-017-00	818 Ottawas Ln	A6	3.2	110	205
35-033-A10-002-018-00	816 Ottawas Ln	A6	3.2	110	205
35-033-A10-002-019-00	802 US 23	A6	3.2	110	205
35-033-B30-001-001-60	1128 Ottawas Ln	A6	3.2	110	205
35-033-B30-001-003-00	Forest St	A6	3.2	110	205
35-033-B30-001-004-00	1140 Forest St	A6	3.2	110	205
35-033-B30-001-006-00	1148 Forest St	A6	3.2	110	205
35-033-B30-001-007-00	1158 Forest St	A6	3.2	110	205
35-033-B30-001-009-00	1170 Forest St	A6	3.2	110	205
35-033-B30-001-011-00	1172 Forest St	A6	3.2	110	205

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-B30-001-012-00	Forest St	A6	3.2	110	205
35-033-B30-001-014-00	1180 Forest St	A6	3.2	110	205
35-033-B30-001-015-00	1182 Forest St	A6	3.2	110	205
35-033-B30-001-016-00	1184 Forest St	A6	3.2	110	205
35-033-B30-001-018-00	1188 Forest St	A6	3.2	110	205
35-033-B30-001-019-00	1190 Forest St	A6	3.2	110	205
35-033-B30-001-020-00	1196 Forest St	A6	3.2	110	205
35-033-H30-001-001-00	1022 Ottawas Ln	A6	3.2	110	205
35-033-H30-001-002-00	1026 Ottawas Ln	A6	3.2	110	205
35-033-H30-001-003-00	1028 Ottawas Ln	A6	3.2	110	205
35-033-H30-001-004-00	1036 Ottawas Ln	A6	3.2	110	205
35-033-H30-001-005-00	1040 Ottawas Ln	A6	3.2	110	205
35-033-H30-001-006-00	Ottawas Ln	A6	3.2	110	205
35-033-H30-001-007-00	1046 Ottawas Ln	A6	3.2	110	205
35-033-H30-001-008-00	1052 Ottawas Ln	A6	3.2	110	205
35-033-H30-001-009-00	1054 Ottawas Ln	A6	3.2	110	205
35-033-H30-001-011-00	1058 Ottawas Ln	A6	3.2	110	205
35-033-H30-002-001-00	1068 Ottawas Ln	A6	3.2	110	205
35-033-H30-002-002-00	1088 Ottawas Ln	A6	3.2	110	205

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-H30-002-004-00	Ottawas Ln	A6	3.2	110	205
35-033-H30-002-005-00	1096 Ottawas Ln	A6	3.2	110	205
35-033-H30-002-006-00	Ottawas Ln	A6	3.2	110	205
35-033-H30-002-007-00	1106 Ottawas Ln	A6	3.2	110	205
35-033-H30-002-008-00	Ottawas Ln	A6	3.2	110	205
35-033-H30-002-009-00	1110 Ottawas Ln	A6	3.2	110	205
35-033-H30-002-010-00	1118 Ottawas Ln	A6	3.2	110	205
35-033-H30-002-011-00	1120 Ottawas Ln	A6	3.2	110	205
35-033-H30-002-012-00	1122 Ottawas Ln	A6	3.2	110	205
35-033-H30-999-001-00	1012 Ottawas Ln	A6	3.2	110	205
35-031-013-400-007-00	2769 N US 23	A7	2.3	85	155
35-031-013-400-008-00	2800 N US 23	A7	2.3	85	155
35-031-013-400-009-00	2786 N US 23	A7	2.3	85	155
35-031-013-400-009-50	2790 N US 23	A7	2.3	85	155
35-031-013-400-010-00	2778 E US 23	A7	2.3	85	155
35-033-A10-002-021-00	800 US 23	A7	2.3	85	155
35-033-A10-002-023-00	Unknown	A7	2.3	85	155
35-033-A10-002-024-00	2996 Wolverine	A7	2.3	85	155
35-033-A10-002-025-00	2994 Wolverine	A7	2.3	85	155

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-W20-000-001-00	2832 US 23	A7	2.3	85	155
35-033-W20-000-002-00	2840 E US 23	A7	2.3	85	155
35-033-W20-000-003-00	E US 23	A7	2.3	85	155
35-033-W20-000-003-25	US 23	A7	2.3	85	155
35-033-W20-000-004-00	2844 E US 23	A7	2.3	85	155
35-033-W20-000-005-00	2846 E US 23	A7	2.3	85	155
35-033-W20-000-006-00	2792 E US 23	A7	2.3	85	155
35-033-W20-000-007-00	2898 E US 23	A7	2.3	85	155
35-033-W20-000-008-00	2798 Wolverine	A7	2.3	85	155
35-033-W20-000-009-00	2800 Wolverine	A7	2.3	85	155
35-033-W20-000-010-00	Wolverine	A7	2.3	85	155
35-033-W20-000-011-00	Wolverine	A7	2.3	85	155
35-033-W20-000-012-00	Wolverine	A7	2.3	85	155
35-033-W20-000-013-00	2908 Wolverine	A7	2.3	85	155
35-033-W20-000-014-00	2912 Wolverine	A7	2.3	85	155
35-033-W20-000-015-00	2914 Wolverine	A7	2.3	85	155
35-033-W20-000-017-00	2918 Wolverine	A7	2.3	85	155
35-033-W20-000-018-00	2922 Wolverine	A7	2.3	85	155
35-033-W20-000-019-00	Wolverine	A7	2.3	85	155

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-W20-000-020-00	2932 Wolverine	A7	2.3	85	155
35-033-W20-000-022-00	2940 Wolverine	A7	2.3	85	155
35-033-W20-000-023-00	Wolverine	A7	2.3	85	155
35-033-W20-000-024-00	2954 Wolverine	A7	2.3	85	155
35-033-W20-000-025-00	2956 Wolverine	A7	2.3	85	155
35-033-W20-000-026-00	2968 Wolverine	A7	2.3	85	155
35-033-W50-000-001-00	2972 Wolverine	A7	2.3	85	155
35-033-W50-000-002-00	2978 Wolverine	A7	2.3	85	155
35-033-W50-000-003-00	2984 Wolverine	A7	2.3	85	155
35-033-W50-000-003-50	2988 Wolverine	A7	2.3	85	155
35-033-W50-000-004-00	2992 Wolverine	A7	2.3	85	155
35-031-023-400-002-00	209 Baldwin Resort Rd	B1	1.5	60	105
35-031-023-400-003-00	190 Baldwin Resort Rd	B1	1.5	60	105
35-031-023-400-004-00	188 Baldwin Resort Rd	B1	1.5	60	105
35-031-023-400-005-00	184 Baldwin Resort Rd	B1	1.5	60	105
35-033-A80-000-001-00	2710 N US 23	B1	1.5	60	105
35-033-A80-000-034-00	Huron Hills Dr	B1	1.5	60	105
35-033-A80-000-035-00	Huron Hills Dr	B1	1.5	60	105
35-033-A80-000-036-00	410 Huron Hills Dr	B1	1.5	60	105

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-A80-000-037-00	402 Huron Hills Dr	B1	1.5	60	105
35-033-A80-000-038-00	396 Huron Hills Dr	B1	1.5	60	105
35-033-A80-000-039-00	382 Huron Hills Dr	B1	1.5	60	105
35-033-A80-000-040-00	376 Huron Hills Dr	B1	1.5	60	105
35-033-A80-000-041-00	366 Huron Hills Dr	B1	1.5	60	105
35-033-A80-000-042-00	360 Huron Hills Dr	B1	1.5	60	105
35-033-A80-000-043-00	356 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-034-00	354 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-035-00	346 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-037-00	342 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-038-00	338 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-039-00	336 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-041-00	324 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-044-00	314 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-046-00	306 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-047-00	Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-047-10	Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-048-00	Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-049-00	298 Huron Hills Dr	B1	1.5	60	105

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-H60-000-050-00	296 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-051-00	292 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-052-00	290 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-053-00	288 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-054-00	Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-056-00	278 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-058-00	268 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-060-00	258 Huron Hills Dr	B1	1.5	60	105
35-033-H60-000-061-00	254 Huron Hills Dr	B1	1.5	60	105
35-033-P40-000-001-75	200 Huron Hills Dr	B1	1.5	60	105
35-033-P40-000-014-00	232 Huron Hills Dr	B1	1.5	60	105
35-033-B10-000-001-00	180 N Baldwin Resort Rd	B2	2.2	80	145
35-033-B10-000-003-00	176 Baldwin Resort Rd	B2	2.2	80	145
35-033-B10-000-005-00	160 Baldwin Resort Rd	B2	2.2	80	145
35-033-B10-000-006-00	156 Baldwin Resort Rd	B2	2.2	80	145
35-033-B10-000-008-00	152 N Baldwin Resort Rd	B2	2.2	80	145
35-033-B10-000-010-00	126 Baldwin Resort Rd	B2	2.2	80	145
35-033-C60-001-001-00	2 Howard St	B2	2.2	80	145
35-033-C60-001-002-00	Howard St	B2	2.2	80	145

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-C60-001-003-00	Howard St	B2	2.2	80	145
35-033-C60-001-004-00	8 Howard St	B2	2.2	80	145
35-033-C60-001-005-00	2440 Winona	B2	2.2	80	145
35-033-C60-002-001-00	2439 Winona	B2	2.2	80	145
35-033-C60-002-005-00	Ruby St	B2	2.2	80	145
35-033-C60-002-006-00	Ruby St	B2	2.2	80	145
35-033-C60-002-006-30	Ruby St	B2	2.2	80	145
35-033-C60-002-006-60	Ruby St	B2	2.2	80	145
35-033-C60-002-009-00	Baldwin Resort Rd	B2	2.2	80	145
35-033-C60-002-009-10	Ruby St	B2	2.2	80	145
35-033-C60-002-011-00	Kanotin	B2	2.2	80	145
35-033-C60-002-013-00	Kanotin	B2	2.2	80	145
35-033-C60-003-001-00	2437 Price St	B2	2.2	80	145
35-033-C60-003-003-00	83 Kanotin	B2	2.2	80	145
35-033-C60-003-004-00	87 Kanotin	B2	2.2	80	145
35-033-C60-003-005-00	Kanotin	B2	2.2	80	145
35-033-C60-008-006-00	124 Baldwin Resort Rd	B2	2.2	80	145
35-033-C60-008-007-00	116 Baldwin Resort Rd	B2	2.2	80	145
35-033-S30-000-001-00	7 Baldwin Resort Rd	B2	2.2	80	145

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-S30-000-003-00	15 Baldwin Resort Rd	B2	2.2	80	145
35-033-S30-000-005-00	21 Baldwin Resort Rd	B2	2.2	80	145
35-033-S30-000-007-00	Baldwin Resort Rd	B2	2.2	80	145
35-033-S30-000-009-00	35 Baldwin Resort Rd	B2	2.2	80	145
35-033-S30-000-011-00	43 Baldwin Resort Rd	B2	2.2	80	145
35-033-S30-000-013-00	55 Baldwin Resort Rd	B2	2.2	80	145
35-033-S30-000-015-00	63 Baldwin Resort Rd	B2	2.2	80	145
35-031-026-400-002-00	157 S Baldwin Resort Rd	В3	4.5	150	285
35-033-S40-000-013-00	2397 E Birch Ave	В3	4.5	150	285
35-033-S40-000-014-00	2395 E Birch Ave	В3	4.5	150	285
35-033-S40-000-023-00	2396 E Birch Ave	В3	4.5	150	285
35-033-S40-000-023-25	2394 E Birch Ave	В3	4.5	150	285
35-033-S40-000-023-50	2390 E Birch Ave	В3	4.5	150	285
35-033-S40-000-023-75	2388 E Birch Ave	В3	4.5	150	285
35-031-026-400-001-00	161 S Baldwin Resort Rd	B4	1.1	50	80
35-031-026-400-002-00	157 S Baldwin Resort Rd	B4	1.1	50	80
35-033-I10-000-001-00	323 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-002-00	317 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-003-00	309 Iosco Beach Rd	B4	1.1	50	80

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-I10-000-004-00	301 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-005-00	293 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-006-00	279 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-007-00	267 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-009-00	263 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-010-00	257 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-011-00	249 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-013-00	241 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-014-00	231 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-015-00	225 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-016-00	219 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-018-00	205 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-019-00	197 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-000-020-00	189 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-999-001-00	197 Iosco Beach Rd	B4	1.1	50	80
35-033-I10-999-002-00	losco Beach Rd	B4	1.1	50	80
35-031-026-200-001-00	Baldwin Resort Rd	B5	3.8	115	230
35-031-026-200-001-00	Baldwin Resort Rd	В6	1.6	65	110
35-031-035-200-001-50	2181 Waters Edge	В6	1.6	65	110

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-031-035-200-006-00	537 Marilyn	В6	1.6	65	110
35-031-035-200-007-00	533 Marilyn	В6	1.6	65	110
35-031-035-200-008-00	531 Marilyn	В6	1.6	65	110
35-031-035-200-009-00	505 Marilyn	В6	1.6	65	110
35-031-035-200-012-00	Pine Ln	В6	1.6	65	110
35-031-035-200-013-00	547 Pine Ln	В6	1.6	65	110
35-033-000-000-000-00		В6	1.6	65	110
35-033-000-000-000-00		В6	1.6	65	110
35-033-C40-001-016-00	2079 North St	В6	1.6	65	110
35-033-C40-004-001-00	613 Lakeview Ave	В6	1.6	65	110
35-033-C40-004-002-00	615 Lakeview Ave	В6	1.6	65	110
35-033-C40-004-003-00	617 Lakeview Ave	В6	1.6	65	110
35-033-C40-004-005-00	623 Lakeview Ave	В6	1.6	65	110
35-033-C40-004-006-00	635 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-001-00	627 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-002-00	629 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-003-00	631 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-004-00	633 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-005-00	637 Lakeview Ave	В6	1.6	65	110

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-C40-005-006-00	641 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-007-00	645 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-008-00	659 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-010-00	665 Lakeview Ave	В6	1.6	65	110
35-033-C40-005-012-00	671 Lakeview Ave	В6	1.6	65	110
35-033-C40-007-009-00	2032 Iroquois Ln	В6	1.6	65	110
35-033-C40-007-011-00	741 E Lane	В6	1.6	65	110
35-033-C40-007-012-00	735 West Lane	В6	1.6	65	110
35-033-C40-007-013-00	729 E Lane	В6	1.6	65	110
35-033-C40-999-004-00	751 West Lane	В6	1.6	65	110
35-033-L50-000-020-00	Pine Ln	В6	1.6	65	110
35-033-L50-000-020-50		В6	1.6	65	110
35-033-S10-000-008-00	557 Pine Ln	В6	1.6	65	110
35-033-S10-000-009-00	563 S Pine Ln	В6	1.6	65	110
35-033-S10-000-010-00	573 Pine Ln	В6	1.6	65	110
35-033-S10-000-012-00	Pine Ln	В6	1.6	65	110
35-033-S10-000-013-00	585 Pine Ln	В6	1.6	65	110
35-033-S10-000-014-00	587 Pine Ln	В6	1.6	65	110
35-033-S10-000-015-00	589 Pine Ln	В6	1.6	65	110

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Date of Designation: February 10, 1986

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
35-033-S10-000-016-00	591 Pine Ln	В6	1.6	65	110

HREA* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.

1/6/2021 <u>Michigan.gov/Shorelands</u> Page 22 of 22